Fairfield County Extension Center

67 Stony Hill Road Bethel, CT 06801 (203) 207-8440

Windham County Cooperative Extension Center

139 Wolf Den Road Brooklyn, CT 06234 (860) 774-9600

Middlesex County Extension Center

1066 Saybrook Road, Box 70 Haddam, CT 06438 (860) 345-4511

New Haven County Extension Center

305 Skiff Street North Haven, CT 06473 (203) 407-3161

New London County Cooperative Extension Center

562 New London Turnpike Norwich, CT 06360 (860) 887-1608

Litchfield County Extension Center

843 University Drive Torrington, CT 06790 (860) 626-6240

Tolland County Cooperative Extension Center

24 Hyde Avenue Vernon, CT 06066 (860) 875-3331

Hartford County Extension Center

1800 Asylum Avenue West Hartford, CT 06117 (860) 570-9010










This material is based upon work in part by the Cooperative State Research, Education, and Extension Service, U.S. Department of Agriculture, under Agreement No. 00-51130-9775. Any opinion, findings, conclusions, or recommendations expressed in this publication are those of the author(s) and do not necessarily reflect the view of the U.S. Department of Agriculture.







www.sustainability.uconn.edu

Lawn Care

Soil Test

Whether seeding a new lawn or working on an established lawn a soil test is a must. The only way to determine what is needed for your lawn's condition is a test. This will save time, money, and energy.

Seed Type

Fescue varieties of seed are the best for home use.

They use less water, fertilization, and require less maintenance. The basic types of fescues are Tall and Fine Leaf; Creeping Red, Chewings, Sheep, and Hard. A combination of tall and fine-leaf fescues is best.

Watering

Water only when absolutely needed. The fescues do not require as much supplemental water as the other lawn grasses. When needed deep watering is better than frequent light watering because it will encourage deep root growth. Usually one inch of water per week is sufficient.







Fertilize

Fertilize only if needed. Choose slow-release and/or organic formulations. With clippings returned, most lawns will not need more than 2 lbs. N/1,000 square feet per season. Apply no more than 1 pound nitrogen/1,000 square feet at any one time—1pound in the spring and one pound in the fall should be sufficient under most conditions. For fall fertilization, apply no later than October 15th. Fertilizing after this date increases the chances of nutrient loss that could cause a pollution problem.

Any fertilizer that falls on a hard surface such as the driveway or walkway

should be brushed into the lawn or swept up and applied back onto the lawn. If left on a hard surface the fertilizer can easily make its way into water sheds via the public drain system.











Grass should be mowed the height of two to three inches. Mowing at this height will: foster deeper root growth, discourage weed growth,



and reduce evaporation; thereby, requiring less watering.

Mower blades should be kept sharp. Dull blades tear the leaf blades instead of cutting them. A dull blade can stunt leaf blade growth, and makes the grass susceptible to disease and reduces visual quality.

Frequent cutting will tend to remove no more than one third of the length of the grass blade. Removal of more than one third of the leaf blade causes scalping.

Clippings

If a lawn is mowed frequently so there are no large clumps of grass, the clippings should remain on the lawn. They will break down in three to four weeks adding a natural source of nutrients to the lawn. Because the clippings break down, there is no problem with thatch build up.